XII. Tables of the Weights of the Human Body and Internal Organs in the Sane and Insane of both Sexes at various Ages, arranged from 2614 post-mortem examinations. By Robert Boyd, M.D., F.R.C.P.L., Physician to the Somerset County Lunatic Asylum. Communicated by Dr. Sharpey, Sec. R.S.

Received February 7,—Read February 28, 1861.

These Tables have been compiled from notes of 2086 examinations made at St. Marylebone Infirmary, between 1839 and 1847; and of 528 examinations in cases of insanity made at the Somerset Lunatic Asylum, between 1848 and the end of December 1860, comprehending in all a period of twenty-one years. The calculations alone have been the labour of many months; a task, which, owing to the pressure of daily duties in a large establishment, I could not now have completed but for the able assistance of my relative Major Boyp.

The Tables are submitted with a hope that they may aid in forming a standard of the weight of the human organs from early infancy to old age. The cases are arranged at eighteen periods of life, under eighteen different heads, showing the average height and weight of the body (the measurement of the head, and weight of the spinal marrow in No. 2), the average weight of the encephalon and its several parts; also of each lung, of the heart, and of all the abdominal viscera. The assigned causes of death are given in the margin; also the variations in weight of the lungs, heart, and liver.

TABLE I.

Showing the maximum, minimum, and average height and weight of the human body, and weight compiled from 2086 cases, 1025 males and 1061 females, examined in the St. Marylebone and mean weight of the lungs in health and disease; of the hearts and livers above and also shown.

NOTE.

The weights are given in pounds, ounces, and decimal parts of an ounce avoirdupois.

The following method was pursued in examining the body:—It was measured from the vertex of the head to the inside of the foot behind the ball of the great toe; after being weighed, the spinal canal was opened, the cord with its membranes removed from below upwards, as high as possible, and weighed. The measurements of the head were next taken: the circumference around the occipital protuberance to the centre of the forehead; the antero-posterior from the former to the space between the eye-brows; and the transverse from the opening of one ear, over the vertex, to the opening of the other. The brain was then examined: the right and left cerebral hemispheres were each removed in slices to the tentorium, and weighed; the tentorium being divided on each side, the cerebellum, with pons and medulla, were raised; the crura cerebelli being divided close to the pons, each part was weighed, the pons and medulla together. The thoracic organs were next examined: the lungs having been taken out, the heart was removed by dividing the great vessels inside, and close to the pericardium; the cavities were opened, cleansed, and the organ weighed. The abdominal organs were weighed in the order in which they are set down in the Tables.

	Assigned causes of o	death.				
Pool	Causes. ·	Males.	Females.	 		
Still_hom . full neriod		23 5 2 6	1 0 6 0 12 0 1 12 32			
	Digestive organs	0 1 3 12 9 14	11 0 1 3 7 8 15			

Table I.

of the internal organs in both sexes, and in the fœtus, at eighteen periods from infancy to old age; parochial infirmary from 1839 to 1847. The assigned causes of death, the maximum, minimum,

below the general average, and the mean weight of each kidney, where weighed separately, are

			Boo	ly.	(Perebral	organs	3.		Thoraci	organ	s.			Abdo	ominal o	organs.		
	Age.	Sex.	Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.
				<u> </u>	· · · · · · · · · · · · · · · · · · ·			·		Maxi	mum.		<u>'</u>	-				<u>' </u>	-1
	m.	M. F.	oz. 85 75	in. 18 18	oz. 9 8·5	oz. •75 •5	oz. ••5 •19	oz. 9·2 9·13	oz. 1·25 1	oz. 1·25 1	oz. •75 •62	oz. •33 •19	oz. •5 •2	oz. 7 5.5	oz. •75	oz. ·25 ·2	oz. 1·13 ·75	oz. •29 •33	oz.
	ill-bo	3.0	10	. 10	1 1 0 7 1	oc.	.04		1 .10		mum.	1.01		1	09	. 01	1 10 1	.09	
	Premature, still-born.	M. F.	12 8·5	10	1.25	·06 ·19	·04 ·03	1·31 1·29	·19 ·06	16	·06	·01 ·01	02	·5 ·25	02	01	13	·02 ·02	•002
	matu	M.	45.5	14	5.33	· 2 8	.12	5.6	.57	.52	rage. •31	.1	12	2.42	.2	.06	•44	•13	1
	P.	F.	38	13.5	4.42	•36	·ì	4.62	•5	•42	·26	.07	05	2.1	•23	•05	.32	•1	.02
		M.	23	26	21	19	19	25	24	Number	examın 27 20	24	20	27 19	26 18	17 18	24	25	
	0	F. -	20	19	10	6	6	18	19	19 Movi	20 mum.	18	18	19	18	18	19	18	14
	od.	M. F.	172 154	22 22	21 14·5	2 1·25	1 ·37	22 15·12	1·75 1·75	1.75 .56	1.75	·75	·75 ·5	8.5 8.5	·75 1·25	·37 ·25	1.7	·75 ·39	·13
	peric	36	.00	. 10	0.75	-0# I	.04	. 0.07	٠		mum.	1 .00	10	1 0.75		1 .04	ا عدا	.00 1	
	Still born; full period	M. F.	60 67	16 17	8·75 7·5	·37 ·37	·04 ·03	9·37 8	·5 ·62	·31 ·5	·37 ·16	08	12	$2.75 \\ 2.62$	12	04	·5 ·37	·06 ·12	·01
	born	M.	105.7	18.5	12:87	.8	02	13.87	1.03	Ave	rage.	·31	.22	5.33	.29	-11	.89	.25	
	Still	F.	98.5	19	11.25	·75	.16	12.25	1.03	.83	·72 ·65	.3	•25	5.5	•37	•11	.82	.23	•06
		M.	51	48	42	43	43	43	47	Tumber 47	50	50	42	49	47	46	48	45	
-	1	F.	32	32	30	29	29	31	29	29	30	30	31	32	30	28	31	30	
		M.	140	21	14	1.25	·37	15.37	1.75	1.25	mum.	1.02	•5_	8.5	1	.37	2.25	.5	
		F.	128	21	15	1.25	·37	16	1.75	1.5 Mini	1·12 mum.	•56	.75	8.75	1.25	•25	1.5	•28	.08
	ın.	M. F.	42·5 25	14	5·62 1·62	·25 ·12	·06 ·04	$\begin{vmatrix} 6 \\ 1.75 \end{vmatrix}$	·37 ·25	·29 ·21	·18	·06 ·02	·06 ·04	1.75	.06 .04	03	·25 ·25	06	·01
	New born.	1	20	1	1 02		V.	1270	1 20	Aver		0-	•	1 0	V- 1	00	20 1	00	
	7	M. F.	81 6 7·7	18·2 17·5	10.84 9.26	·69 ·62	·2 ·16	11.67	1·04 1·19	·85 ·86	·54 ·59	·25 ·21	$\begin{array}{c} \cdot 23 \\ \cdot 22 \end{array}$	3·82	·33 ·34	·11 ·11	·87 ·68	·17 ·16	.04
		75.	45	. 45		40	40	1 40		umber e			40	. 45 1	40 1	20 1	00	40 1	
and the same that the same the same		M. F.	45 45	45	44 38	40 35	40 35	42 39	44 38	38	44 42	44 34	42 40	45 44	42 40	39 34	28 38	42 33	27

TABLE I.

							<u> </u>		1		1		
A ge.	Assigned causes of	death.			N	0.	Ave	rage.	Maxi	mum.	Mini	num.	
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.	
Under 3 months.	Digestive organs. Genito-urinary organs Respiratory organs. Vascular system Norvous system Locomotive organs. Fevers Inquest cases Total	6 3 5 0 0 2	4 1 8 4 2 1 2 0	Healthy Phthisis	11 4	8 3 11 4 	1·3 1·87 1·04 	.95 1.75 98 1.62	1·5 2·5 1·5 2·25	1·25 2·25 1·5 	·75 1 ·37 1·25	·5 ·75 ·37 1·25	
From 3 to 6 months.	Digestive organs. Respiratory organs. Vascular system Nervous system Locomotive organs Fevers Inquest cases Total	2 5 4 2 1 0 1	2 16 1 3 2 1 0	Healthy Physics Preumonia Bronchitis Healthy Phealthy Phealthy Phealthy Phealthy Bronchitis Bronchitis	9 2 4 8 1 9	9 2 4 9 1 8	1·42 2·25 2·28 1·32 2·86	1·38 2 1·93 1·31 2·19	2 2·5 2·5 1·5 3 5·5	1·75 2·25 2 1·5 2·75 2·25	.75 2 2 1·13 1·5	1.25 1.25	
From 6 to 12 months.	Digestive organs	3 0 29 5 6 3	0 1 23 4 4 8 4	Healthy Phthisis Preumonia Bronchitis Healthy Phthisis Phthisis Phthisis Porturnonia Bronchitis	15 4 18 1 14 1 19 3	14 4 19 1 16 1 17 3	1·87 4·47 4·09 1·87 3·37 2·12	1·77 4·25 3·37 1·86 2·85 2·56	2·75 9·25 5·5 1·5 2·75 3·25 5·5 2·75	2·37 9·25 5 1·5 2·5 3 4·5 3	1·25 2 2·5 1 2·12 2·13	1·13 2 2·25 1·13 2 1·75	
From 1 to 2 years.	Digestive organs	1 19 2 3 9	2 15 2 5 9	Healthy Phthisis Preumonia Bronchitis Phthisis Phthisis Preumonia Bronchitis	6 3 19 2 14 2 10 4	6 3 19 2 15 2 9	3·38 4 4·68 2·5 2·69 5 5·31 2·5	3·06 4·87 4·47 2·5 2·17 4·75 4·04 2·25	3·5 5 7·25 2·25 4·5 5·5 7	3·5 6 6·5 2·5 3·25 6·5 6	3 3.75 2.75 1.5 4.5 3 1.75	2·5 2·75 3·25 2·5 1·25 3 1 5	

COILCIII						~ .							T						
-			Body	·		Cerebra	l organ			Thoraci	c organ	S.		7	Abdo	minal c	rgans.	1	
	Age.	Sex.	Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.
										Maxi	mum.		A Training to 18 and a control		: .				
		M. F.	12 0		oz. 31·5 31	oz. 1·62 1·75	oz. •5 •5	oz. 32·75 32·5	oz. 2·5 2·25	oz. 2·25 2	oz. 1·5 1	oz. •37 •75	oz. ·77 ·62	oz. 8 7	oz. •75 •75	0z. •75 •5	oz. 2 25 1 5	oz. ·19 ·25	oz. ·25
	Under 3 months.	M.		18	9.25	·5 ·5	·13	10·5 11	·75 ·37	Minin 5 37	num. •5 •25	·04 ·06	·25 ·20	2·5 3	·13	·06	·25 ·37	·06	.03
	nder	25.		22 (100 1	• o= 1	24 (Aver	_					a # 1	00.1	•••	
F	ď	M. F.	$\begin{bmatrix} 7 & 3 & 1 \\ 6 & 2 & 1 \end{bmatrix}$		16·2 14·81	1.07	·24 ·25			1·16 1·15 amber e	.68 .64	·16 ·17	·37 ·4	5 4·32	·34 ·33	·27 ·19	·99 ·94	13	•06
		M. F.	16 22	16 17	15 19	15 18	15 18	16 20	11	11	16 21	11	15 19	16 21	16 19	15 18	14 22	13 15	14
										Maxin			<i>i</i>					+	
1	hs.	M. F.	12 8 3	32 25	27·5 33	3 2·75	·62	30·75 34·75	2·5 5·5	2.25 2.75 Minin	1 1.5	·62 ·5	1·25 ·75	9 8·5	1.5	·5 ·5	$\begin{bmatrix} 2 \\ 2 \cdot 5 \end{bmatrix}$	·5	•06
10000	From 3 to 6 months.	M. F.			15·5 13·5	·75 ·25	·25 ·13	10·75 13	·75 1·13	1.75	·62	·06 ·03	·25 ·25	3 2·75	·25 ·19	·06	·75 ·75	·06	•02
+6	rom 3 t	M. F.	$\begin{bmatrix} 8 & 5 & 12 \\ 7 & 0 & 12 \end{bmatrix}$	22·7 1 22·5	20 18·05	1·72 1·69	·29 ·30	21·29 19·76	1·77 2·19	Aver 1.6 1.76	·88 ·81	·22 ·15	·49 ·5	6·22 5·44	·71 ·46	·21 ·22	1·3 1·09	·13	•04
Þ	4			•	•	•	•	,		ımber e		•		,	•	•	•		
		M. F.	15 25	15 22	14 23	14 21	14 21	15 25	15 18	15 18	$\begin{bmatrix} 15 \\ 24 \end{bmatrix}$	9	15 21	15 25	15 24	14 20	14 23	13 18	12
			·				······································			Maxir	num.								
	ns.		18 0 3 18 0 3	30 33	$\begin{vmatrix} 32 \\ 34.75 \end{vmatrix}$	3·75 4	·75 ·62	36·13 39·13	9·25 5·5	4.5	2·25 2·25	·75	1·25 1·25	18·5 13		1·04 1·25	3.75	·5 ·37	•13
7	nont	M.	5 12 1	18	14.5	.75	·13	17:75	1.25	Minin 1.13	.5	•04	.25	4	·25	·08	1.25	•06	
61	12	F.	6 0 1	19	13.5	1.75	•25	16.37	1	1.13	•5	•06	.25	3.2	.25	·13	·62	.06	.02
T. C. T.	From 6 to 12 months.		12 1·5 5 10 11·5 5	26 25·7	24·29 22·68	2·74 2·32	·39 ·35		2.73	2.39	1·18 1·08	·18	·64 ·66	9·41 8·35	·79 ·72	·34 ·32	2·43 1·85	·21 ·18	•05
		M.	45	45	46	46	46	46	Nı 38	imber e 38	xamined 46	i. 29	42	44	43	41	45	33	
		F.	40	39	38	38	38	40	37	37	40	25	29	40	40	36	39	32	27
		M. F.	26 0 3 25 0 3	34 35	36 33·25	4·5 4·25	.75 1	41·25 37	7·25	Maxin 6.5 6.5	num. 3·5 2·25	·5 ·5	1·75 1·37	17 17·25	8 2·25	75	4	·25 ·25	·13
	ears.						- ()			Minin					-				
1 4. 9.	From 1 to 2 years.	M. F.		24	20·5 14·75	2·75 1·75	·25 ·25	23·25 18		2·5 1·25	.75	06	·5 ·37	7.5	·5 ·5	06	1 1.5	06	.03
T.	From	M. F.	14 6 5 13 2 5	28·5 27·7	29·21 26·19	3·54 3·15	·5 ·46	33·25 29·8	3.58	3·99 2·95	1·66 1·47	•	1.91	11·7 11·17	1·34 1·04	·44 ·49	2·55 2·4	·16 ·14	•05
		M. /	34	32	34	34	34	34	Nu 30 ∣	mber e: 30	amined	l. 19	32	34	33	30	33	30	
٠.		F.	33	33	33	33	33	33	30	30	32	18	30	33	32	32	29	28	25

TABLE I.

Age.	Assigned causes of	death.			N	0.	Avei	age.	Maxi	mum.	Minir	num.	
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.	
From 2 to 4 years.	Digestive organs	2 0 16 1 3 7	3 1 16 2 2 2 5	Healthy	8 6 10 2 13 3 11	7 6 11 2 14 3 10	3·8 6·16 6·85 4 3·76 6·37 7·01	3·35 5·87 6·76 3 3·5 5·25 5·91	4·75 10·75 8·75 4·5 4·75 8·25 9·5	4·75 10·75 11 4 4·5 6·5 8	3·25 3 5·5 3·5 1·75 5·5 4	2·75 4·5 3·13 2 1·42 5 3·5	
		0			N	o	Aver	rage.	Maxi	mum.	Mini	num.	
From 4 to 7 years.	Digestive organs	1 15 3 4 0 4	1 10 3 1 1 5	Healthy Physics Procumonia Bronchitis Healthy Phthisis Procumonia Bronchitis Bronchitis	Right. 6 9 6 3 8 8 8	5 9 7 3 7 8 3	Right. 3.79 7.36 6.96 6.58 3.13 7.15 7.5	3.58 6.25 8.46 5.25 3.23 7.06 6.33	Right. 6.5 10 8.5 7 4.5 11 8	5.5 9.75 14.5 5.5 4.75 11 7.25	Right. 2 4·5 5 6 2·13 3·5 7·25	1.75 3.5 5 5 2 3 6	
Fi	Total	27	21			M	[ale.			Fer	nale.		
				Kidneys.	No. 2 2	Max.	Min. 2.25 2.5	Aver.	No. 5	Max. 5.25 3.25	Min. 1:75 1:75	Aver.	
				Left	Ì	3 o.	Ϊ	2·75 rage.	 	imum.	1	mum.	
		- 3		Lungs.	Right.	Left.	Right. 7:42	Left.	Right.	Left. 6:75	Right.	Left. 4:5	
From 7 to 14 years.	Digestive organs. Respiratory organs Vascular system Nervous system Locomotive organs Fevers	3 11 4 2 1	2 6 2 4 0 4	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis Bronchitis	7 6 1 8 2	7 5 1 7 2 2 2	9·5 12·46 6·19 8·5 9·5	10·22 14·64 6·07 8·25 14 9·5	15·25 16·5 9·5 8 12·5 29·5 10	16 23·5 7·5 9 11 16·5 11·25	5 7·5 4·5 4·5 9	5 8 4 5.5 11.5 7.75	
Fro	Total	22	18			T	Iale.			T	nale.		-
				Livers. Under general average Above general average Kidneys. Right	No.	Max. 32·25 71 6 4·25	18·25 35·25 1·87	Aver. 26·79 47·17 3 51 3·27	No.	Max. 23.5 44 2.25 2.75	Min. 15.5 28	Aver. 20.8 35.16	

			Bod	у.		erebra	lorgan	s.	נ	Choracio	organs	•			Abdo	minal or	gans.		
	f Age.	Sex.	Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.
				-	1			<u> </u>		Maxin	num.			·	-	<u>'</u>			
	rs.	M. F.	lbs. oz. 29 0 31 0	in. 38 37	oz. 45 39·5	oz. 5 5	oz. 1 ·75	oz. 50·5 44·5	oz. 10·75 9·5	oz. 11 8	oz. 3·5 2·75	oz. '5 '33	oz. 2·5 1·75	oz. 22 19·75	oz. 4·5 4	oz. 1.5 1.25	oz. 5·5 5	oz. •75 •25	oz.
	2 to 4 years.	M. F.	12 0 8 ·2	27 26	26 24·25	3	·25 ·25	30·5 27·75	3 1·75	Minin 2 1.42	1·25 1	•08 •08	·62	11 4·75	·5 ·25	·25 ·25	1·75 1·75	·06 ·08	.01
	From	M. F.	20 0 18 7·5	31·6 31·6	34·03 30·77	4·02 3·7	·66 ·5	38·71 34·97	5·45 5·04		2·14 2·11	·25 ·16	1·48 1·2	16·85 13·49	1·58 1·28	·76 ·68	3·33 3·14	·23 ·15	•08
		M. F.	28 28	27 28	28 29	28 29	28 29	29 29	Nu 26 27	26 27	27 29	9 14	27 28	29 29	28 27	27	29 28	25 24	21
																,			
*	-	М. F.		45 43	43·5 43	5·25 5·25	1 1·5	49·5 48·25	10 11		3·75 3·5	·5 ·25	3·25 3	29	3·5 4·25	2·5 1·5	8·5 6·5	·37 ·5	•2
	From 4 to 7 years.	М. F.	14 0 14 4	29 29	21·5 30	2·5 2·75	·25 ·5	24·5 34·75	2 2·13	2	1·25 ·75	13	1.75	10·5 12	·5 ·6	·13 ·37	2 2·37	·13 ·06	.0
	From 4 t	M. F.		37.5	35·44 35·04	4·17 4·19	·62 ·68	40·23 40·11	•	5.45	2·77 2·3	·25 1·07	1.95 1.67	19·13 19·56	1·85 1·65	8 .8	4·05 4·26	·21 ·16	.1
		М. F.	26 23	25 23	27	27 17	27	27 19	Nu 24 19	umber 6 24 18	$\begin{array}{c c} \mathbf{xamine} \\ 27 \\ 20 \end{array}$	d. 7 3	27 21	27 20	23 18	26 19	24 21	23 20	1
			***************************************	*						haya ini umamayadaya min	/								ſ
										Maxi	num.								
		M. F.	$\begin{array}{c cc} 74 & 0 \\ 72 & 0 \end{array}$	54 59	50 46	6·25 5	1	57·25 52	16·5 29·5	23·5 16·5	5·5 6	25	9 4.5	71 44	5·75 7	2·17 1·75	10·5 9·5	·75	
	From 7 to 14 years.	M. F.	26 0 34 0	36 34	33·5 30	4 3·5	•5	39·25	4·5 4·5		mum. 2·25 1·75	:::3	2.25	18·25 15·5	1.5	·25 ·6	3·4 3·5	·13 ·26	
	7 to 1	3.5	1.40 C	1 477	1.40.96	4.04	1 476	1 45.06	10.14		rage.	le le	1 3.60	34.71	3.03	1.68	6.58	.37	į.
	From	F.	42 6 38 6	47	40·36 35·86	4·84 4·27	.65	6 45·96 6 40·78					2.55	34·71 25·86	3·03 2·54	1.68	5.75	.27	•1
		M.	19	19	22 18	22 18	22 18	22 18		umber 6 17 13	examine	d. 4	19	19	19 16	18	20 17	13	1
		F.	18	18	18	18	18	18	13	13	1 17	4	16	17	10	10	17	10	1

TABLE I.

		- \$			l ·		1	-1-		·	1		ı
Age.	Assigned causes of	death.			N	То.	Ave	rage.	Maxi	imum.	Mini	mum.	[4]
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.	
ears.	ី Digestive organsRespiratory organs	1 7	2 8	Healthy Phthisis Pneumonia Bronchitis Healthy Healthy Preumonia Phthisis Pneumonia Bronchitis	6 5 3 2 5 2 4 1	5 5 4 2 7 2 2 2	11·71 28·1 27·42 16·75 11·1 21 23·75	9·89 32 18·5 15·5 10·85 20·25 24·25	18·5 37·5 47 19·5 16·5 27·25 30	17·5 42 20·5 19·75 16 24 33 16·5	7·75 10·5 13·5 14 7 14·75 19·5	6 5 15 25 17 11 25 7 16 5 15 5	
From 14 to 20 years.	Z Vascular system	0 5	1			M	ale.			Fen	nale.		
a 14 to	A (Locomotive organs Fevers	4 2	1 3	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.	
Fron	Total	19	16	Under general average Above general average	11 7	7·5 14	3·5 8·5	5·71 9·32	7 7	8·25 16 5	4·5 9·25	7·4 10·68	
			The state of the s	Livers. Under general average Above general average Kidneys.		56 96	32 58	39·41 67·58	5 9	53 73	23 55	35·64 58·83	
				Right	10 10	6·5 7·5	3·5 3	4·52 4·84	2 2	7 6-5	3·5 3	5·25 4·75	
					N	lo.	Ave	rage.	Maxi	imum.	Mini	mum.	
				Lungs.	Right.	Left.	Right.		Right.	Left.	Right.	Left.	
	(Digestive organs	4	10	Healthy	9 28 3	8 28 4	17·36 35·6 23·67	17:31 35 20:27	20·75 64·5 24·5	19·5 58 21	11 23 23	9 20·75 19·5	
From 20 to 30 years.	Genito-urinary organs Respiratory organs Vascular system Nervous system	1 42 1 3	9 25 6 13	Healthy	32 16 11 2	33 16 10 2	14.65 25.78 30.26 20.75	13·5 26·16 21·27 19·75	21 36·5 31·5 22	20 36·5 30·25 21·5	6·25 16 22 19·5	6·25 14 18·5 18	
1 20 ta	Locomotive organs Fevers Inquest cases	0 6 2	9 0			Ma	ale.			Fen	nale.		
Fron	Total	59	75	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.	
				Under general average Above general average Livers.	36 22	10 17	5·5 11	8·54 14	44 30	9 26	3 5 9 25	7·3 11·69	
				Under general average Above general average Kidneys.	39 17	60 114	32 60·5	51·53 79·16	38 36	52 25 83·5	28 53	45.52 6.81	
			×	RightLeft	14 14	7·25 9	1.5	5·82 6·48	25 25	8 6.75	2·25 2·25	5·3 5·3	
					N	To.	Ave	rage.	Maxi	imum.	Mini	mum.	
				Lungs.	Right.	ļ	Right.		Right.	Left.		Left.	
From 30 to 40 years.	Digestive organs	4 26	9 3 44 9 15	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Puthisis Pneumonia Bronchitis	19 49 16 12 35 25 10 6	20 49 15 12 33 25 12 6	19.08 36.71 39.89 24.14 14.53 24.86 25.6 20.16	25·98 20·27 13·11	24·5 63·5 87 32·5 20·25 37 33 26·5	23·5 52 47 28·5 18·75 37 34 19	10-75 14 21-5 20 9-5 9 19 14-25	10·5 10·5 22·5 13·75 6·25 13 17 12·5	
n 30 t	☐ (Locomotive organs Fevers	5	1 5 3			Ma	ale.			Fen	nale.		
Fron	Total	113	89	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.	
	*	,		Under general average Above general average Livers.	40	11·25 30·25	3·5 11·5	8 91 15 51	52 35	9·25 18·75	5 5 9·5	7·83 12·11	
				Under general average Above general average Kidneys.	62 48	58 101	24·5 58·5	48·58 70·83	52 35	53·5 103	22·5 54	43·84 66·84	
)			RightLeft	35 35	8 9	3·25 3 37	5.88 63	32 32	6·25 8·75	3 2·75	4·61 4·94	

		Body	7.	(Cerebral	organs	3.		Thoracio	organs	•			Abdo	ninal o	rgans.		-
$\Lambda { m ge.}$	Sex.	Weight	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas	Kidneys	Renal capsules.	Uterus.
) years.	,	107 0	0 71 0 67	50·75 45·5	oz. 6·5 5·5	oz. 1·25 1		oz. 47 30	Maxi oz. 42 33 Mini	oz. 14 16·5 mum.	OZ.	oz. 7 6.5	oz. 96 73	oz. 10·75 7·25	oz. 3·5 4	oz. 14 13·5	oz. 1 1·25	2.1
From 14 to 20 years.	M. F. M. F.		0 54 0 42 0 60·5 0 57·7	41.77	4·25 2 5·32 4·65	·75 ·5	36·5 37·5 48·54 43·94	7·75 7	•	3·5 4·5 rage. 7·61 8·46	·i9	2·5 2·5 4·51 4·6	32 23 57.76 54.33	2·75 3·5 5·19 4·68	1 1·5 2·19 2·64	9·34 9·03	•25 •25 •52 •63	.
	M. F.	17	17 12	18 15	17 15	17 15	19 16		Number 16 12	•	•	18 14	17 15	17 14	17 14	18 14	15 10	1
From 20 to 30 years.		145 0 60 0 40 0 92 14·5 86 13	5 0 4 7	48 48·75 33 31·5 41·98 38 52 69	6·25 5·5 4·5 4 ·5 4 ·82 5·2 69	•5 •5	55·25 39·25 35·75	36·5 11 6·25 32·34 21·89	36 Mini 9	17 26 mum. 5.5 cage. 10.06 9.08		8 8·5 4 2·5 5·51 5·32 53 72	114 83·5 32 28 60·29 52·74 56 74	19 15 2·75 1·75 7·19 6·53 59 73	1·75 1·25	16·5 17 6 3·5 1 11·57 10·17 1	1·25 1·	1.7
From 50 to 40 years.	M. F.	98 3·5' 87 0	5 9 4 2 4 6 5 6·5	50 46 28·25 28·25 42·06 37·92 99 79	6·75 2·75 3 75 5·15 4·74 99 80	1·5 ·37 ·5	33·75 33·25	37 10·75 9 28·47 18·74	37 Minir	30·25 18·75 num. 3·5 5·5 age. 11·36 9·45		8·5 3·5 3·25	103	36 20·5 1·75 1·25 7·12 6·13 103 85	6 1 1·25 3·47	11:35	1·25 ·25 ·25 ·61 ·47 89	4·5 ·5 1·9

TABLE I.

	25			T	1		1		1			TABI
Age.	Assigned causes of	death.			.N	o.	Ave	rage.	Maxi	mum.	Minii	num.
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left	Right.	Left.	Right.	Left.
From 40 to 50 years.	بر (Digestive organs	2 4	15	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Preumonia Bronchitis Bronchitis Phthisis Pneumonia Bronchitis	28 54 33 12 40 27 13 7	32 54 30 11 42 27 11	18·86 35·49 32·14 25·54 15·06 25·62 25 22·51	17·5 31·53 30·53 23·82 13·21 23·01 25·24 18·96	28 57 83·5 46 20·5 42·5 38·5 24	27 58 66 37:5 21 43:5 41:5 23:25	5 13·5 22 15·5 7·5 16·5 20 20	5 17·5 20 13·5 8·25 16 18·25 12·5
o 50 y	Respiratory organs Vascular system Nervous system	90 14 20	50 13 16		3	\mathbf{M}_{i}	ale.	2*		Fen	nale.	
ո 40 ք	A Locomotive organs	4	3 4	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
Fron	Inquest cases	141	98	Under general average Above general average	88 49	11·5 27	5·75 11·75	9:52 16:29	60 46	9:5 17:25	5 9.75	7:58 12:36
	Total	141	90	Livers. Under general average Above general average Kidneys.	88 51 .	58 192	30 58·25	53·41 74·12	65 41	49 130	25·5 49·25	41·08 62·1
				Right	50 50	9	2·5 2·5	5·07 5·57	32 32	7 7	2·25 2·5	4·25 4·42
					N	0.	Avei	rage.	Maxi	mum.	Mini	num.
				Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
From 50 to 60 years.	Digestive organs	1 3 80 10 18	9 2 54 17 23	Healthy	21 42 35 10 55 15 16	22 42 34 10 57 15 14	19·28 34·42 17·89 26·7 15·21 26·27 25·75 20·68	16.04 29.54 29.6 23.2 13.25 21.89 25.25 15.65	25·5 57·5 57 36 26 38·75 35·5 24·5	25·5 45 56·5 27·25 26 32 55 20·5	10 14 19 15·5 7·5 21 19·25	9·25 13·5 15·5 17·5 7 11·5 13 10·5
n 50	Fevers	2 3	0 3			Ma	ale.				ales.	
	Inquest cases Total	121	108		No.	Max.	Min.	Aver.	No.	Max.	Min.	Avér.
	2000 / ,		100	Hearts. Under general average Above general average Livers.	71 48	11·75 30	6 12 .	9·62 15·51	63 : 43	10·25 24	5 10·5	8·33 13·24
				Under general average Above general average Kidneys.	63 55	55·25 88	30 55·5	46·06 65·42	63 44	43·75 90	28 44	37·07 54 37
				Right Left	36 36	7·25 9·25	3·25 3·5	5·21 5·62	37 38	7·75 8	1·5 2·25	4·27 4·58
					N	Го.	Ave	rage.	Maxi	mum.	Mini	num.
				Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
From 60 to 70 years.	Digestive organs. Genito-urinary organs Respiratory organs. Vascular system Nervous system Locomotive organs. Fevers	7 1 88 13 13 2 5	17 6 78 15 24 2	Healthy Phthisis Phenmonia Bronchitis Graduate Healthy Phthisis Phenmonia Phenmonia Bronchitis Healthy Phthisis Phenmonia Bronchitis	36	36 28 40 10 74 21 19 22	31·75 27·59 23·79 14·34 24·62 27·06	16·92 29·83 23·81 20·06 13·52 22 22·15 17·08	45 59:25 30 18 34 49:5	27 19·5 34·5 32 24	13 14·5 20·5 18 7 13 17·75 12·75	
Fror	Inquest cases	131	148		No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
	Total	131	148	Hearts. Under general average Above general average	79	12·75 24·75	7	10·52 17·02	90	10·5 20	5·25 10·75	8.72
				Livers. Under general average Above general average Kidneys.	69 58	48 173	23 48·25	38·32 57·31	91 63	42·75 79	25 43	37·54 51·03
	•			RightLeft	35 35	7·5 7·25	2·75	4·54 4·68		12·5 7	1·5 1·5	4·38 4·46

		Body.	Cerebral organs.	Thoracic organs.	Abdominal organs.
A	ge. S	Vei Lei	Cerebrum. Cerebellum, Pons and medulla. Encephalon,	Right lung. Left lung. Heart. Thymus,	Stomach. Liver. Spleen. Pancreas. Kidneys, Renal capsules.
	From 40 to 50 years.	M. 10s. oz. ft. im 155 0 6 1 7 133 0 5 7 M. 54 0 4 6 4 10 M. 102 0 5 6.8 F. 84 9.5 5 2 2 M. 135 137 F. 97 97	$ \begin{vmatrix} 53.5 & 6.75 & 1.5 & 60 \\ 46 & 6 & 1.25 & 52.5 \end{vmatrix} $ $ \begin{vmatrix} 27.75 & 4.5 & .75 & 33.75 \\ 31.25 & 4 & .5 & 27.5 \end{vmatrix} $ $ \begin{vmatrix} 41.48 & 5.22 & 1.06 & 47.75 \\ 37.12 & 4.69 & .89 & 42.81 \end{vmatrix} $	Maximum. OZ.	$ \begin{vmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0$
F	from 50 to 60 years.	H. 50 0 4 6 3 M. 102 5 5 6 F. 86 0 5 2	24·5 4 ·5 30·5 29·5 3 ·5 36·25	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
	From 60 to 70 years.	M. 256 0 6 2 F. 147 0 6 0 M. 70 0 5 0 F. 50 0 4 6 M. 103 13 5 5.7 F. 86 14 5 1.5 M. 123 125 F. 142 148	$ \begin{vmatrix} 31 & 3.5 & 5 & 36.25 \\ 27.5 & 3.75 & 5 & 32.5 \end{vmatrix} $ $ \begin{vmatrix} 40.21 & 4.98 & 97 & 46.4 \\ 37.13 & 4.68 & 83 & 42.69 \end{vmatrix} $	Minimum. 13	$ \begin{vmatrix} 9 \cdot 25 & 79 & 15 \cdot 5 & 6 & 14 & 1 \cdot 25 & 3 \cdot 5 \\ \begin{vmatrix} 3 & 23 & & 1 \cdot 5 & 1 \cdot 5 & 3 \cdot 25 & & \cdot 12 \\ 3 & 25 & & \cdot 5 & 1 \cdot 25 & 4 & & \cdot 25 & & \cdot 78 \\ \end{vmatrix} $ $ \begin{vmatrix} 5 \cdot 58 & 48 \cdot 24 & 4 \cdot 82 & 3 \cdot 1 & 8 \cdot 83 & & \cdot 67 \\ 5 \cdot 3 & 42 \cdot 98 & 4 \cdot 07 & 2 \cdot 8 & 8 \cdot 28 & & \cdot 64 & 1 \cdot 58 \\ \end{vmatrix} $ $ \begin{vmatrix} 125 & 127 & 126 & 122 & 123 & 102 & \\ 125 & 127 & 126 & 122 & 123 & 102 & \\ 125 & 127 & 126 & 122 & 123 & 102 & \\ 125 & 127 & 126 & 122 & 123 & 102 & \\ \end{vmatrix} $

TABLE I.

Age.	Assigned causes of	death.		1	N	0.	Ave	rage,	Maxi	mum.	Mini	num.	
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.	
From 70 to 80 years.	Objective organs	8 2 58	8 9 69	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	13 13 40 21 48 11 35 33	21 12 30 23 56 11 37 33	18·08 29·88 32·78 23·42 13·32 23·67 25·11 19·04	16·13 30·8 27·65 19·36 12·34 18·26 25·38 16·08	22 47 85 31·75 19 31 45 30	23·5 42·5 43·5 35 18 27 48·5 22·75	15 19·5 20 15·5 6·5 14 15 12·5	9 19 18·25 13 5·5 10·5 15	
to 80	Respiratory organs	13 20	26 37			Ma	ale.	7		Fen	nale.		
07 mc	Locomotive organs	1 2	3	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.	
Fr	Total	104	153	Under general average Above general average Livers.	57 43	13 27·5	5·5 13·25	9-96 17-04	86 64	10 21	5 25 10-25	8·09 12·5	
				Under general average Above general average Kidneys.	56 48	46 92	27 46·5	37·29 57·81	- 79 69	38·25 70	19·5 38·5	32·49 44·97	
.	gar i e de de la companya de la comp			Right	19 19	6·75 9	2 3·25	4·46 5·19	31 31	5·75 7	1·5 2·25	3·96	
					N	o.	Ave	rage.	Maxi	mum.	Mini	mum.	
				Lungs,	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.	
Upwards of 80 years.	Digestive organs Genito-urinary organs Respiratory organs Vascular system Nervous system	0 1 19 1 2	2 0 37 12 18	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Preumonia Bronchitis Pneumonia Bronchitis	1 4 13 4 26 6 19 20	4 10 4 34 6 11 20	25·75 34·13 23·69 13·31 21·29 24·53 17·63	16:37 28:81 26:85 21:37 12 19:25 25:59 13:7	18·5 38·5 61·5 25 19 24·25 50 25·5	38 32·5 28 17·5 24 38·5 21·5	19·5 21 29 22 7·75 16·5 17 10·5	13 19 22·5 16·5 6 13·5 17·5 8·5	
ards c	Locomotive organs	0	2			Ma	ale.			Fer	nale.		
$^{ m Lbw}$	Unknown causes	0	4	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.	- 1
	Total	24	79	Under general average Above general average Livers.	12 12	12 16·75	8 12·5	10·1 14·1	50 26	10·25 26·5	5·5 10·5	8·71 13·27	
				Under general average Above general average	12 12	39·5 57	25·5 42	33·89 48·14	43 31	34·5 57	22 35	29·37 41·96	
				Kidneys. Right Left	2 2	6 6·25	5·75 6	5·87 6·12	6	3·75 4	2·5 2·5	3·46 3·58	

		•	В	ody.	- 1	Cerebr	al orga	ns.		Thoraci	c organs	3.		+ 0	. A b	dominal	organs.		
,	Age.	Sex.	Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.
	ì							1		Max	imum.		4		:	X ·			
	8	M. F.	lbs. oz 172 (232 () 6	n. oz. 1 48 7 43	oz. 6·25 5·75	oz. 1·75 1·75	oz. 55·25 49·5	oz. 85 45	oz. 43·5 48·5	oz. 27·5 21		oz. 11.75 9	92 70	oz. 17·5 15·5	oz. 6·25 5·5	oz. 21·75 13	oz. 1·25 1	0Z. 4·5
	year				V.					Min	imum.								
	to 80	M. F.	60 C 51 C	5	$egin{array}{c c} 0 & 32 \\ 0 & 24.5 \end{array}$	3·25 2·5	·5 ·5	37·75 29·25	15 6·5	9 5·5	5·5 5·25	•••	2·5 1·75	27 19·5	1 1·25	1.5	4	·2 ·25	•5
	From 70 to 80 years.	M. F.	106 13 80 4	5 5 5	7 39·6 35·58	4.97	·94	45·5 41·27	18·77 16·76	Ave 17·11 14·59	rage. 13·14 10·10		5·92 5·98	45.33 38.37	4·93 3·57	3.22	10.68 7.63	·63 ·61	1.56
3	H			. ,	10000		j	1		Number			0 00	1000,	1 00.	1	,		
		M. F.		102	95	95 127	95 126	104	87	86 127	100		100 149	104	100 150	93 145	92 149	78 119	127
•			- ,		je kajima nazava dan mara salar sayanna			1.0	···· • • • • • • • • • • • • • • • • •										
										Max	imum.								
	gi.		125 (114 (6 5	$0 46.5 \\ 7 42$	6.25	1·25 1·5	53·75 48	61·5 50	38.5	•		6.5	57 57	13	4·5 4·25	12 10·25	1	3
	year	35	07 1		0100	1 0.05		1.45	110.5		mum.	1	1 0.5	105.5	1 1.5	1.1.5		-04	
	Upwards of 80 years.	M. F.	67 (53 (0 5	$egin{array}{c c} 2 & 36 \\ 6 & 28 \end{array}$	3.25	•5	33.25	19·5 7·75	6	8 5·5	•••	3·5 2·5	$\begin{vmatrix} 25.5 \\ 22 \end{vmatrix}$	1.5	1.5	6 5	·37 ·19	•75
	urds	M.	99 () 5 6	· 7 3 9·62	4.79	20	135.24	1 90-46		rage.	:	1 4.00	41.01	4.27	1 9.83	8.25	•67	
	Upwa	F.	79	5 5 0	34.47	4.47	-82	39.77		$\begin{vmatrix} 24.30 \\ 15.23 \end{vmatrix}$			4.49	34.64	3.46	2·83 2·37	6.85	·67 ·59	1.42
· .		M. F.	24 75	24	23 68	23 68	23 68	24	N 22 71	$egin{bmatrix} 22 \ 71 \end{bmatrix}$	$\begin{array}{c c} 24 \\ 76 \end{array}$	d.	24	24 74	24 74	23 78	22 77	19 71	70
	-			•	,	•				•	• .								

TABLE 11.

Showing the maximum, minimum, and average height and weight of the human body, and female patients, examined in the Somerset County Lunatic Asylum. The assigned

Ponta	of Insanity.	Under 3	0 years.	From 30 to	o 40 years.
FORMS	OF INSANITY.	Male.	Female.	Male.	Female.
Melancholia	Mania Dementia Melancholia Idiocy Mania Dementia Melancholia Monomania.	13 3 2 1 4° 9 1 1 11 	11 4 2 1 1 6 1 3 1 	16 6 6 3 1 1 3 8 6	21 4 7 9 1 1 2 1 3
	Total	46	30	61	49

·	Assigned causes of	death.			N	·o.	Aver	age.	Maxi	mum.	Minii	num.
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
	Digestive organs	5 0 27 1 11 1 1 46	3 0 17 0 10 0 0	Hearts. Under general average Above general average	17 14 15 13 9 8 No. 24 22 23 23	20 13 12 16 9 5 M Max. 8·5 12·5	15:35 35:37 27:59 14:03 25:52 22:9 ale. Min. 5 9	13:28 34:44 23:84 13:74 23:54 23:67 Aver. 7:11 10:51	20·5 72 54 20 36·5 27·5 No. 14 15	19 49·5 42 16·5 31 26 Fen Max. 7·5 9·75	8 20-5 19-75 10 22-25 17-75 Min. 5 8	 8 20 19·5 Aver. 6 8·6
	Digestive organs Genito-urinary organs Respiratory organs. Vascular system Nervous system Locomotive organs. Fevers Total	2 0 32 0 26 0 1	10 0 25 3 11 0 0	Lungs. Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Paneumonia Bronchitis Pneumonia Bronchitis Under general average Livers Under general average Above general average Above general average Above general average	No. Right. 15 10 34 23 11 13 1 No. 35 24 30 29	23 10 26 26 12 9	Right. 15:94 37:53 31:02 13:59 24:23 25:85 ale. Min. 5:25 10:5 37	Left. 14·82 48·99 28·52 12·05 24·48 22·96 Aver. 8·54 12·03 47·25 64·07	Maxi Right. 19.75 74 45.5 17.5 40 46.5 23 No. 29 20 29	Mum. Left. 19·75 52 47 19·5 33 29 14·75 Fen Max. 7·5 16 43·25 114	Right. 10 23·5 20 7 13:25 19·5	Mum. Left. 9-5 16-75 20 6 18-25 16-25 Aver. 6-49 9-38 37-68 51-49

TABLE III weight of the internal organs and measurement of the head, in 528 cases, 295 male and 233 causes of death, &c., as in Table I., and the forms of insanity, are also shown.

From 40 t	o 50 years.	From 50 to	o 60 years.	From 60 to	o 70 years.	From 70 t	o 80 years.	Upwards o	of 80 years.
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
25 13	14 7	14	10	13 14	10 14	5 5	4 12	1 7	1 4
1 2 1	3 (1·	4	5		12	3 	1	•••	•••
6	3	2 2	3 	2 1	2 	i i	i		
1 10 12	3	3	ï	···· 2	i	2	•••		
2		i							
77	49	43	39	39	41	21	20	8	- 5

	37	Body.	56 3 ev,		surem f head			Cereb	ral or	gans.			Thor	acic or	gans.			Abdo	mina	. organ	ıs.		
Age, s	Sex.		Height.	Circumference.	Antero-posterior.	Transverse.	Right hemisphere.	Left hemissphere.	Cerebellum.	Pons and medulla.	Encephalon.	Spinal cord.	Right lung.	Left lung.	Heart.	Stomach.	Liver.	Spleen.	Pancreas.	Eight kidney.	Left kidney.	Renal capsules.	Uterus.
				*************						- 11 Y		imum.							(A 19)		į.		
	M. 185 F. 106	oz. ft. 0 6 0 5	in. 0 8	in. 23·5 23	in. 15·25 14	in. 15·5 16·5	oz. 25·5 24·5	oz. 25:5 24:75	oz. 6·5 6·25	oz. 1·5· 1·5	oz. 58 55.75	oz. 1·5 1·5	oz. 72 36·5	oz. 49·5 31	12.5	oz. 8 6.5	oz. 84 75	7.5	oz. 6 4	oz. 8·5 6·5		oz. 1·25 1	
of ag	- 577.5											mum.											
ears	M. 51 F. 47	$\begin{bmatrix} 0 & 5 \\ 0 & 4 \end{bmatrix}$	11	20·25 19:5	10·5 11	10 12	13·75 13	8	$\begin{vmatrix} 3.25 \\ 3.5 \end{vmatrix}$	·75	30 31	·75	8	6 8	5 5	3·5 3·75	$egin{array}{c c} 28 \ 24.5 \end{array}$	2.25 2.5	$\begin{vmatrix} 2 \cdot 25 \\ 2 \end{vmatrix}$	1·75 2·75	1·5 2·75		
30.7							.,					rage.		(1)									
Under 30 years of age.	M. 9	1 8 5 7 10 5	6:7	$\begin{array}{c} 22.03 \\ 21.22 \end{array}$	13·32 13·07	13·29 13·32	20·89 19·21	21.05 19.51	5·23 4·82	1.01	44.55	1.05	19.82	22·55 18·57	8·75 7·57	5·44 5·06	50·18 44·84	4·86 5·13	$\frac{3.52}{2.94}$	4·65 4·14	4·82 4·32	·79 ·74	1.2
	M.	40	20 1	.38	38	1 28	44	1 44	1.43		umbe 45	r exan 18	ined.	45	46	45	46	45	45	46	46	44	
	F		23		24	23	30	30	30	30	30	18	30	30	29	30	29	30	30	30	30	27	2
	1			-	,																		
											Max	imum	· ka										
	M. 158 F. 123	3 0 6 3 0 5	0	$\begin{bmatrix} 24 \\ 23 \end{bmatrix}$	14.75	15	24·5 24	25 24.5	7	1.5	57·5	1.75	74	52 33	16:5 16	9	74 75 114	12·75 20·25	5·75 5	10 7·5	10·5		4.
1 1	.в. ј. 12.			20	.14	1.2	-	# # **	19 1	* •		mum.			1 20 1						9 31. G	- 1	•
40 years.	M. 6	6 0 5 0 0 4	2	20·5 19	10 9	10 9	13·5 14·5	14·5 14·5	$\begin{vmatrix} 4 \\ 3.75 \end{vmatrix}$	·75	35·25 34·5	1 .75	10 7	9·5 6	5·25 4:5	4 3·25	37 26·5	$\begin{bmatrix} 2.5 \\ 1.75 \end{bmatrix}$	2 1·75	$\begin{bmatrix} 2.5 \\ 2 \end{bmatrix}$	3·5 2·75		.7
0,0	•											rage.					the state of the state of						
From 30 to 40	M. 103 F. 77	1.5 5 14 5	7·2 3·5	$\frac{22.16}{21.31}$	$\begin{array}{c c} 13.2 \\ 12.77 \end{array}$	13·25 12·77	19·82 18·63	19·94 18·84	5·33 4·93	1.05 1.05	46.14	1·1 1·08	28·32 19·44	24·04 17·34	9.94	5.93 5.09	55·45 43·36	5·64 5·47	3·54 3·09	5·01 4·17	5·33 4·45	·83	1.8
Ä			84				2				mber									,			
3		55	53 48	46	45 42	46	61	61		61	61	22 18	59 48	59 -48	59	58 48	59 49	59 -46	59 47	58	58 48	57 46	4
	(20		***		1	1 -3	,	,		1 1						1	- 1		•		

TABLE II.

,												
$oldsymbol{\Lambda}$ ge.	Assigned causes of	death.			N	o .	Aver	age.	Maxi	mum.	Mini	num.
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
From 40 to 50 years.	Digestive organs	4 0 43 1	9 1 18 3	Healthy	14 9 50 3 31 3 14	24 7 42 3 35 35 10	16·43 29·84 33·54 26·5 14·1 23·98 23·58	15·64 27·1 29·79 23·12 13·6 23 22·02	19·5 48·5 73·75 34 19·5 26 35 22	19·25 33 60 29 20 31·5 27	10·25 20 20 26 6·5 20 20	10·5 17·5 19 19·5 6 18·5 20
0 to	Locomotive organs	29 0 0	15 1 2			\mathbf{M}_{i}	ale.			Fen	ale.	
om 4	Fevers	77	49	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
F	2011	••	10	Under general average Above general average Livers.	40 36	10·5 16·5	6·5 10·75	9·31 12·33	25 24	8·25 12·5	4·75 8·5	6·82 9·87
		** *		Under general average Above general average	42 34	56·5 89	36 57·1	48·53 67·58	26 22	43·25 98·75	25 44	35·02 53
	* *				N	Го.	Ave	rage.	Maxi	mum.	Mini	num.
	*			Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
From 50 to 60 years.	Digestive organs	4 0 23 0 16	5 0 15 5 13	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis Bronchitis Bronchitis	8 9 24 1 24 5 10	13 9 19 1 24 5 10	17·83 28·87 29·27 14·61 26·58 27·41	15·84 26·3 28·58 12·14 19·37 26·82	19·5 57 59 25·75 19 30·25 39	19 42 57 23·5 16·75 23·75 40	13 16·5 18 7 21 5 20	8 11 17·5 6·75 16
om 5	Total	43	39	CDIONOMAS		************	ale.		<u> ···</u>		ale.	<u> </u>
Ę		-			No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
				Hearts. Under general average Above general average Livers.		10·75 24	5 11·25	9·48 14·5	23 17	9 16·75	5 5 9·25	7·55 13·31
		*		Under general average Above general average		52·5 95	13 53 5	40·43 63·47	25 14	45·5 119·5	24·5 48	38·05 58·42
			-		N	To.	Ave	rage.	Maxi	mum.	Mini	mum.
				Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
From 60 to 70 years.	Digestive organs	2 1 13 4 16 0	9 0 14 4 13 1	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Phthisis Phthisis Phoemonia Bronchitis	10 3 23 3 26 7 7	16 3 17 3 30 7 3 1	15·7 42·87 37·33 19·5 13·59 21·54 22·36	14·85 35·87 32·89 16·5 12·21 24·87 30·16	48·75 74·5 21·75 18·75 30	18·5 42 47 19 18 26 50 19·5	8 5 37 23 5 16 5 9 12 5 19	7 29·75 20 16 7·5 15 19·5
rom	Inquest cases	39	41			M	ale.			Fer	nale.	
F	Total	อย	41	Hearts.	No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
				Under general average Above general average Livers.	17	12 27·5	6·5 12·5	9·53 15·58	15	9 15·5	6 9·5	7·62 11·77
				Under general average Above general average		50 73	36 51	45·13 61 6	21 20	41 58	27 41·5	33·63 49·7

ontin		٠,٠																								
				\mathbf{B} od	у.			asuren of head			Cereb	ral or	gans.			Thor	acic or	gans.			Abdo	omina	organ	18.		
	Age.	Sex.	Weight.)	Height.	D	Circumference.	Antero-posterior.	Transverse.	Right hemi- sphere.	Left hemi-	Cerebellum.	Pons and medulla.	Encephalon.	Spinal cord.	Right lung.	Left lung.	Heart.	Stomach.	Liver.	Spleen.	Pancreas.	Right kidney.	Left kidney.	Renal capsules.	Uterus.
	Ì					!								Maxi					············							
	sars.			oz. 0 0	6	0	24.5	in. 16 14·5	in. 15 15·5	oz. 25·5 23	25.5	6.5	oz. 1·5 1·5	oz. 57·75 51·25 Mini	1.37		oz. 60 31·5	oz. 16·5 12·5	oz. 10 8·25	oz. 89 98·75	14.25	7.5	7.5		2	oz. 3
	From 40 to 50 years	M. F.		0	5 4		20·5 19	10·5 10	10·25 10·5	15 11·75	15·25 11·75	4 3	·75	36·25 27·25	.75	6.5	10.5	6·5 4· 7 5	3·75 3	$\begin{vmatrix} 36 \\ 25 \end{vmatrix}$	1·75 1·5	2 1·25	3 1·75	2·5 2	·5 ·5	ı
	From 4	M. F.	109 1 76 1	15·5 14·2	5	7·7 1·6	22·46 21·45	13·27 12·91	13·29 12·84	19·49 18·05	19·67 18·24	5·42 4·83				29·42 17·55	24·95 16·05	10·75 8·31	6·01 5·19	57·02 43·51	5·12 4·33	3·77 2·88	5·11 4·2	5·54 4·42	·91 ·76	1.83
		M. F.	5′ 4′		5		60 43	59 43	59 43	76 48	76 48	76 48	76 48	77 4 9	28 27	76 49	76 49	76 49	76 48	76 48	76 48	75 48	75 48	75 48	71 48	43
	Y		204	0	6	3 7	23.5		14.5	24	24.5	7	1.5	Max	1.5	59	57 40	24 16·75	10	95 119·5	15 14	6·5 5·5	7 7·75	8·25 5·5	1.5	2.75
	rs.	F.	128	0	5	7	22.5	14.5	14.25	22.5	23.25	6	1.25	51·75 Min	¦1 imun	1-	40	10.79	7	119.9	14	9.9	7.73	0.0	1.9	2.75
	From 50 to 60 years.	M. F.	51 52	0	$\begin{vmatrix} 5 \\ 4 \end{vmatrix}$	2 7	$\begin{vmatrix} 20 \\ 20.25 \end{vmatrix}$	10·5 11	11 10	14·5 15·25	14·75 14·25	4·25 3·5	·75 ·5	34·5 34·25 Ave	.75 .75		8 6·75	5 5·5	4 3	13 24·5	2 1.75	1·75 1·75	3·5 2·5	4 1·5	·5 ·5	
	rom 50	М. F.	110 79	4·2 14	2 5 5	7·8 2·5	22·15 21·48	12·9 12·95	13·31 12·73	20·44 18·66	20·73 18·75	5·35 4·74		47·68 43·18	1.06	$ 26.45 \\ 19.42$	23·82 16·52	11·22 9·15	6·19 5·38	52·8 45·53	5·06 4·43	3 3·64 3 3·38	4·89 4·21	5·41 4·13	·89 ·75	1.77
	H	M. F.	3			7 3	37 34	37 34	37 34	42 39	42 39	42 39	43	umber 43 39	16 19	42	42 39	42 39	42 39	42 39	41 39	42 37	41 39	41 39	36	
			-					,						3.5					and the wholes are state for			or an American could be for the first for		g i nggggan na pin man hili na ay in		
		M. F.	188 132	0	$ 6 \atop 5$		$23.5 \\ 22.5$	14·5 14	15 14	25·5 21·5	$^{26}_{21\cdot 5}$	$\begin{vmatrix} 6 \\ 6.5 \end{vmatrix}$		Max 5 58.75 5 48.25		74.5	47 50	27·5 15·5	10·5 7·5	73 58	10 8.25	5·75 5	6·75 6·5	6·75		2.5
	70 years.	M. F.		0		3 0	21 20	10·5	11.5 10.5	15 14	14·75 14	4·25 4	5 ·75 ·75	35·75 33·25		5 8·5 1 9·5	7 7.5	6.5	4 2·75	36 27	2.25	2·5 1·75	3·5 2·5	3·5 2·5	·5 ·5	1
	From 60 to	M. F.	106	15.	2 5 3 5	5·8 2·5	22·34 21·19	4 13·28 9 12·73	8 13·4 3 12·81	20·66 18·37	3 20·86 7 18·53	5 5·2: 3 4·8	5 .9	8 47·82 5 42·7	.90	3 29·02 6 16·42	$\frac{2}{2} \begin{vmatrix} 22.9 \\ 15.06 \end{vmatrix}$	1 12·42 5 9·12	5·87 4·89	7 50·77 41·31	7 4·72 1 3·59	2 3·7 2·87	4·53 3·84	3·98	·89 ·82	2 1.6
	H	M. F.		35 39		36 38	29 34	29 34	29 34	39	39 41		39		12 13	5 39	39	39	39 39	39 41	39	39 41	39 41	39 41	33 41	38
										-												The state of the s				

TABLE II.

		****			1		1		,		,		
$oldsymbol{Age}.$	Assigned causes of	death.			N	Го.	Ave	rage.	Maxi	mum.	Mini	num.	
2150.	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.	
From 70 to 80 years.	Digestive organs	1 1 5	5 0 7	Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis Healthy Bronchitis Phthisis Pneumonia Bronchitis	9 2 5 5 8 1 5 6	6 2 8 5 6 1 7 6	15·58 26·25 30·75 20·75 12·53 21·8 18·22	12·25 24·75 32·56 17·30 10·98 19·22 16·31	19·5 29·5 45 28 16 20·5 34 28	16 28·5 37 27·5 16 20 24·5 20·5	12·5 23 21 18 9 18·5 14	10·5 21 21 12 8 15·75	
70 to 8	Respiratory organs Vascular system Nervous system Locomotive organs	10 0	7 0			Ma	ale.			Fer	nale.		
rom 7	Total	21	20		No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.	
ī			The state of the s	Hearts. Under general average Above general average Livers.	12	11·46 15·5	6 11	11:37 14:56	14 6	9·2 15	6·5 10·5	8·03 12·57	
-				Under general average Above general average		41 63	32 46	37.67 49.98	12 8	38 58	28·25 41	34·91 44·79	
					N	· o.	Ave	rage.	Maxi	mum.	Mini	mum.	
	,				Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.	
				Lungs. Healthy Phthisis	1	3		11.67		13.5	10.5	8.5	
Upwards of 80 years.	Digestive organs	0 0 4	0 0 2	Pneumonia Bronchitis	4 3 2	2 3 2	22·75 21·75 10·75	31·5 15·66 9·75	26·5 29 13	36 16 10·5	20 11·25 8·5	27 15·5 9	
jo sp.	Vascular system	3	1 2	Phthisis Preumonia Bronchitis	2 1	2 1	18.5	17·75	23 9	19·5 12	14	16	
Uрwa	☐ (Locomotive organs Total	8	5			Ma	ale.			Fen	nale.	*	
					No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.	
	W.			Hearts. Under general average Above general average	4 3	13 16	12 14	12·25 14·83	4 1	9·25 11	9	9.06	
				Livers. Under general average Above general average	5 3	41 60	32 43	38·58 50	2 3	38 45	36 41	37 43·67	

Maximum.		ıs.	l organ	minal	Abdo			ns.	orga	acic o	Thor			gans.	ral or	Cereb			sureme f head.			у.	Body	-]		
M. 10s. oz. ft. in. in. in. in. oz. oz.	Renal capsules.	Left kidney.	Right kidney.	Pancreas.	Spleen.	Liver.	Stomach.	Heart.		Left lung.	Right lung.	Spinal cord.	Encephalon.	Pons and medulla.	Cerebellum.			o: -	Antero-posterior.	Circumference.	200	Height		Weight.	Sex.	f Age.
Maximum.																			-	~						
S	25 1	7.25		4	oz. 7 5	oz. 63 58	7.5	5.5	1	37	45	1.37	55	1.25	6	25	24.5	15	14	23.5	11	5	0	135		
Average. Average. M. 103 10-7 5 7:2 22:3 13:34 13:1 20:25 20:47 5:06 1:02 46:85 1 21:53 20:71 11:52 5:44 43:87 3:37 3:03 3:94 4 4 15:1 15:3 1:5 21:18 12:38 12:76 17:97 18:09 4:76 1:05 41:87 1:02 17:17 15:87 9:36 5:37 38:33 3:38 3:12 3:7 3 Number examined. M. 18 18 19 19 19 20 20 20 21 21 21 21 21	1.5	3	2	11.5	1.25	32	3.25	6	5	110.5				.75	14	17.5	118	111.5	11	21	5	1.5	0	63	M	years.
M. 103 10·7 5 7·2 22·3 13·34 13·1 20·25 20·47 5·06 1·02 46·85 1 21·53 20·71 11·52 5·44 43·87 3·37 3·03 3·94 4 4 4 8 7 8 8 1	75 5	$\begin{vmatrix} 3 \\ 2.75 \end{vmatrix}$	$\overline{2}$ 5	2	2	28-25	3.75	6.5		8	9			.75	3.25	15.5	16	11.5	10.5	20	10	4	Ű			to 80
Number examined. M. 18 18 19 19 19 20 20 21 21 21 21 31 21 21 21	44 ·77 37 ·81	4·44 3·37	3·94 3·7	3.03	3·37 3·38	43·87 38·33	5·44 5·37	11·52 9·36	71 1 87	3 20·7 7 15·8	21·58 17·17	5 1	46.8	3 1·02 5 1·05	7 5·00 9 4·70	20.47	20·25 17·97	13·1 12·76	13·34 12·38	22·3 21·18	7·2 1·5	5	10·7 3·4	103 95		2
Maximum. M. 124 0	1 20	21	21	20	21	21	21	21	LI	21					21	20	20	19	19	19	18	1	8	1 1:	M.	
M. 124 0 5 10 23 14·25 14 19·25 19·5 6 1 15 49·75 1·5 29 36 16 6·5 60 3·75 4 6 7 7 10·3 0 5 6 22·5 14·5 14 19·25 19·5 6 1 44·5 1 23 19·5 11 5·5 45 4 3·5 4 4 4 4 4 4 4 4 4	20 20	20	20		20	20	20	20		20	20	9	20	20	20	20		15	15	15	18	-	5 .	14	F.	
M. 124 0 5 10 23 14·25 14 19·25 19·5 6 1 15 49·75 1·5 29 36 16 6·5 60 3·75 4 6 7 7 10·3 0 5 6 22·5 14·5 14 19·25 19·5 6 1 44·5 1 23 19·5 11 5·5 45 4 3·5 4 4 4 4 4 4 4 4 4												eimun	Mo													
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	·5 1 1·75	7.5	6	i 4 3.5	3.75	60	6.5	16	.5	36	29	75 1.5		1.5	6	22 5 19.5	21.5	5 14	14.2	23	10	5				
Average. M. 112 2 5 5 22·25 13·28 13·31 18·97 18·62 5·13 1·15 43·87 1·14 20·84 18·12 13·35 5 42·87 2·39 2·87 3·84 4 5 5 90 3 5 3·2 21·6 13·4 13·5 17·20 17·39 5 96 40·55 ·87 13·5 13·39 9·46 4·69 40·39 2·6 2·87 3·14 3 5 8 9 9 9 9 9 9 9 9 9	11,10	1	1 *	100	1 12	40	100	3.1	J	110	1 -	,		1 -	10	J 100	10 20	14	140	220	U	. 10	v	100		g2
Average. M. 112 2 5 5 22·25 13·28 13·31 18·97 18·62 5·13 1·15 43·87 1·14 20·84 18·12 13·35 5 42·87 2·39 2·87 3·84 4 5 5 90 3 5 3·2 21·6 13·4 13·5 17·20 17·39 5 96 40·55 ·87 13·5 13·39 9·46 4·69 40·39 2·6 2·87 3·14 3 5 8 9 9 9 9 9 9 9 9 9	·75 ·75 ·5 ·75	2.75	2.75	$\begin{vmatrix} 2 \\ 2 \cdot 5 \end{vmatrix}$	1.25	32 36	4	12 9	5	8.	10·5 8·5	5 1 25 ·78	39.5	1.7	4.5	16 15·5	17 14·5	11.5 13	11 13	$\begin{vmatrix} 21.5 \\ 20 \end{vmatrix}$	$\frac{1}{2}$	5			M F.) year
									·			verage	A					·						,		9
	5 ·89 ·89	3.3	3·84 3·14	2.87	2·39 2·6	42.87 40.39	5 4·69	13·35 9·46	·12 ·39	18 13	4 20·8 7 13·5	37 1·1· 55 ·8	5 43·8 6 40·8	3 1.1.	$\begin{vmatrix} 2 & 5 \cdot 1 \\ 9 & 5 \end{vmatrix}$	7 18·6 0 17·3	1 18·97 17·20	8 13·3 13·5	13·28 13·4	22·25 21·6	5 3·2	5 5	3			wards
M. 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8												r exan	umbe	N												Up
	$\begin{bmatrix} 8 & 5 \\ 5 & 4 \end{bmatrix}$	5	5	8		8 5	7 5	7 5	5	8 5	8 5	$\begin{vmatrix} 6 \\ 4 \end{vmatrix}$		8 5	8 5	8 5	8 5	8 5	8 5	8 5	7 5		7 5			

Table No. I.—Assigned causes of death.

In diseases of the digestive organs the disproportion between the sexes was great, 98 females to 45 males; there were 13 cases of infantile jaundice, 2 cases of imperforate anus, and 1 of malposition of the viscera in a new-born male. Diseases of the genitourinary organs were more frequent amongst females than males, 33 to 15. the mortality was owing to diseases of the respiratory organs; the per-centage amongst the male adults was 64.5, and amongst the females 47.6. In infants from 3 months to 4 years, pneumonia, frequently combined with eruptive fevers, prevailed; from 4 to 60 years pulmonary phthisis was most prevalent; and after 60 years pneumonia again prevailed. Of phthisis, there were 253 males and 140 females. Under diseases of the vascular system have been included those of the heart and blood-vessels, diseased state of the blood, purpura, hæmorrhage, dropsy, cachexy, scrofula, and cancer, which in the advanced periods of life, after 50 years, fell most heavily on females; the numbers were 85 males, and 120 females. Diseases of the nervous system were most fatal in infancy and old age, especially amongst male infants and aged females; the total numbers of all ages were males 167, females 187. Under the head "locomotive organs" are included accidents, diseases of bone, skin, and cellular tissue, of which there were 36 cases in both sexes. Of fevers, about 50 cases of the eruptive form occurred in infancy, and of ordinary fevers about 50 in adults. There were 43 "inquest cases," of which 23 were infants, mostly new-born, found exposed, and 20 were adults. There were 51 "causes unknown," viz. 47 still-born and new-born infants, and 4 females upwards of 80 years.

Results.

The general results obtained from a review of the foregoing cases among the poor of the parish of St. Marylebone, appear to be that, with few exceptions, the body and internal organs arrived at their full size in both sexes between 20 and 30 years. children especially, the body was attenuated from disease: for example, one scrofulous female child, aged 3 years, weighed only $8\frac{1}{4}$ lbs., and the numbers about that age were insufficient to counterbalance the effect of such cases on the mean result, and form a standard of comparison for children of the same age under more favourable circum-The average weight of the males was greatest at from 70 to 80 years, which is to be accounted for by the large proportion cut off at earlier periods by pulmonary The mean weight of the male brain was, at all periods, above that of the female, which was the probable cause of the large number of still-born male infants as compared with females, 51 to 32, and the necessity of resorting to craniotomy in five instances in the males only. The highest average weight of the brain in both sexes was from 14 to 20 years; the next highest was in the males from 30 to 40, and in the females from 20 to 30 years; but it will be observed that the number of cases were much fewer in these than in other later periods. The weight of the lungs was so much, and so frequently increased by disease, that healthy lungs were exceptions: it

therefore appeared advisable to introduce in the margin their weights in various states; also the weights of the heart and liver, which were subject to great variations. The "Thymus gland," an organ which disappears with infancy, was so large in the fœtus in fourteen cases, that it appeared to have formed a fatal impediment to respiration. The abdominal organs were generally heavier in the male than in the female; the spleen in both was subject to considerable variations in size, and the mean weight of the left kidney was generally found greater than that of the right.

Table No. II.—Assigned causes of death.

Diseases of the digestive organs, principally peritonitis, enteritis, and dysentery, were found in 18 males and 41 females, and most frequently in females from 30 years of age and upwards. In 1 male and 2 females there was disease of the kidneys; diseases of the respiratory organs in 147, one-half of the males, and in 98 females; 44 were cases of pulmonary consumption in males and 37 in females; 91 were cases of pneumonia in males and 55 in females. Of diseases of the vascular system, 11 occurred in males and 17 in females; 5 were cases of pericarditis, 4 in males; 13 of dropsy, 8 in females; and 11 of cachexy, of which 7 were females. Diseases of the nervous system were found in 109 males and 66 females; viz. cerebral apoplexy in 9 males and 8 females; meningitis in 22 males and 11 females; disease of brain in 55 males and 36 females; myelitis in 23 males and 11 females; so that 37 per cent. of males and 28·3 per cent. of females had organic disease of the cerebral organs. In Table I. the proportion is only 12·3 per cent. in the males and 17·6 per cent. in the females. There were 3 deaths from lumbar abscess, 1 from cancer, 1 from erysipelas, 4 from fever, and 3 were inquest cases.

Results.

The average *height* of the adult male varied from 67.8 to 65 inches, of the female from 63.2 to 61.6 inches; while the mean weight of the former varied from 112.12 to 91.5 lbs., and of the latter from 95.2 to 76.9, showing a preponderance in the insane male of 6 lbs., and in the insane female of 8 lbs., as compared with the sane adults dying at the same period of life.

The average weight of the right cerebral hemisphere varied in the males from 20·89 oz. to 18·97 oz., and in the females from 19·21 oz. to 17·20 oz.; the left varied in the males from 21·05 oz. to 18·62 oz., and from 19·51 oz. to 17·39 oz. in the females. It is a singular fact, confirmed by the examination of nearly 200 cases at St. Marylebone, in which the hemispheres were weighed separately, that almost invariably the weight of the left exceeded that of the right by at least the eighth of an ounce. In the Med. Chir. Trans. vol. xxxix., several cases of inequalities of the cerebral hemispheres which came under my notice are given. The average weight of the cerebellum varied in the males from 5·42 oz. to 5·06 oz., and from 5 to 4·74 oz. in the females; that of the pons Varolii and medulla in the males from 1·15 oz. to 1·02 oz., and from 1·05 to ·95 oz.

in the females; and that of the encephalon in males from 48·17 oz. to 43·87 oz., and in females from 44·55 oz. to 40·55 oz.; in the sane, at the same period of life, the average varied in the male from 48·2 to 45·34, and in the female from 43·7 to 39·77.

The general average weight of the lungs is shown in the Table, and the exceptions in the margin. The average weight of the heart did not reach its maximum until an advanced period of life.

In the abdominal organs nothing was observed differing essentially from those in Table No. I.